



IPSO[®]

COMMERCIAL TOP LOAD WASHER FOR ON-PREMISES LAUNDRY APPLICATIONS

CTL7



FEATURES

- **Energy efficient**
Water-saver cycle reduces hot water consumption
- **Lower costs**
A 1/2 HP motor produces a 710 RPM spin speed, which keeps drying times and utility costs down
- **Rugged reliability**
Solid construction and heavy-duty components deliver the strength necessary for years of dependable service
- **Serviceability**
100% front serviceable, meaning less downtime
- **Clean results**
A full size agitator with a 210° agitation stroke - the largest in the industry - produces excellent washing results
- **Maximum productivity**
Superior out-of-balance protection to ensure cycles continue without stopping

CONTROL

- **E-Mech control**
The E-Mech Control on IPSO top load washers assures reliable performance and helps optimize efficiency. The control panel offers convenient features - including an energy-saving cycle with an electronic timer.
- **Push-to-Start button**
Features simple, push-to-start activation with an 'In Use' LED light
- **Six water and cycle selections**
Provides three energy-saving cycles plus three regular cycles: two-speed wash and spin actions and a delicate cycle



visit laundrysolutions.com.au

OPL CTL7 Top Load Washer specifications

	CTL7
Control Option	Hybrid E-mech
Control Location	Rear
Drum	
Capacity (kg)	7.5
Volume (L)	90.3
Motor	
Power (KW)	0.37
Cabinet	
Cylinder Finish	Stainless Steel
Colours	White
Drum Speed	
Spin Speed (RPM)	710
G-Force	150
Connection	
Water Inlet	2x 19mm
Water Pressure (BAR)	1.4 / 8.3
Drain	Pump Drain
Operation	
Cycles	6
Water Temperatures	3
Water Consumption Per Cycle (L)	106.3
Cycle Indicator Lights	Yes
Power	
Electrical Requirements	10 AMP/240/50/1
Transport Data	
Gross Weight (KG)	95
Net Weight (KG)	86
Dimensions (mm)	1092h x 651w x 711d
Packing Dimensions (mm)	1124h x 711w x 762d

* heights may slightly vary depending on the levelling adjustments

